ELSEVIER

Discrete Mathematics 140 (1995) 299

DISCRETE MATHEMATICS

Author index to volume 140 (1995)

Adelberg, A., A finite difference approach to degenerate Bernoulli and Stirling polynomials (1–3) 1–21
Bioch, J.C. and T. Ibaraki, Decompositions of positive self-dual Boolean functions (1–3) 23–46
Bruyère, V. and C. De Felice, Synchronization and decomposability for a family of codes: Part 2 (1–3) 47–77
De Felice, C., see V. Bruyère (1–3) 47–77
Frankl, P., H. Maehara and J. Nakashima, On the section of a convex polyhedron (*Note*) (1–3) 265–267
Ibaraki, T., see J.C. Bioch (1–3) 23–46
Laczkovich, M., Tilings of triangles (1–3) 79–94
Li, X., see F. Zhang (1–3) 253–263
Maehara, H., see P. Frankl (1–3) 265–267
Meng, J., The generalized *S*-graphs of diameter 3 (1–3) 95–106
Mulazzani, M., Lins–Mandel graphs representing 3-manifolds (1–3) 107–118
Nakashima, J., see P. Frankl (1–3) 265–267
Peleg, D., On the maximum density of 0–1 matrices with no forbidden rectangles (*Note*) (1–3) 269–274
Polat, N., A Helly theorem for geodesic convexity in strongly dismantlable graphs (1–3) 119–127
Radcliffe, A.J. and A.D. Scott, Every tree contains a large induced subgraph with all degrees odd (*Note*) (1–3) 275–279
Reiner, V., Descents and one-dimensional characters for classical Weyl groups (1–3) 129–140
Ryjáček, Z., Hamiltonicity in claw-free graphs through induced bulls (1–3) 141–147
Sanchez-Flores, A., An improved upper bound for Ramsey number $N(3,3,3,3;2)$ (*Note*) (1–3) 281–286
Sanchis, L.A., Some results on characterizing the edges of connected graphs with a given domination number (1–3) 149–166
Scott, A.D., see A.J. Radcliffe (1–3) 275–279
Servatius, B. and H. Servatius, The 24 symmetry pairings of self-dual maps on the sphere (1–3) 167–183
Servatius, H., see B. Servatius (1–3) 167–183
Spence, E., Classification of Hadamard matrices of order 24 and 28 (1–3) 185–243
Stacey, A., Universal minimal total dominating functions of trees (*Note*) (1–3) 287–290
Wojtas, M., Five mutually orthogonal Latin squares of orders 24 and 40 (*Note*) (1–3) 291–294
Yap, H.P., Generalization of two results of Hilton on total-colourings of a graph (1–3) 245–252
Zhang, F. and X. Li, Hexagonal systems with forcing edges (1–3) 253–263

DISCRETE MATHEMATICS
VOLUME 140, NUMBERS 1–3, 11 JUNE 1995

CONTENTS

A. Adelberg
A finite difference approach to degenerate Bernoulli and Stirling polynomials 1

J.C. Bioch and T. Ibaraki
Decompositions of positive self-dual Boolean functions 23

V. Bruyère and C. De Felice
Synchronization and decomposability for a family of codes: Part 2 47

M. Laczkovich
Tilings of triangles 79

J. Meng
The generalized *S*-graphs of diameter 3 95

M. Mulazzani
Lins–Mandel graphs representing 3-manifolds 107

N. Polat
A Helly theorem for geodesic convexity in strongly dismantlable graphs 119

V. Reiner
Descents and one-dimensional characters for classical Weyl groups 129

Z. Ryjáček
Hamiltonicity in claw-free graphs through induced bulls 141

L.A. Sanchis
Some results on characterizing the edges of connected graphs with a given domination number 149

B. Servatius and H. Servatius
The 24 symmetry pairings of self-dual maps on the sphere 167

E. Spence
Classification of Hadamard matrices of order 24 and 28 185

H.P. Yap
Generalization of two results of Hilton on total-colourings of a graph 245

F. Zhang and X. Li
Hexagonal systems with forcing edges 253

Notes

P. Frankl, H. Maehara and J. Nakashima
On the section of a convex polyhedron 265

D. Peleg
On the maximum density of 0–1 matrices with no forbidden rectangles 269

A.J. Radcliffe and A.D. Scott
Every tree contains a large induced subgraph with all degrees odd 275

A. Sanchez-Flores
An improved upper bound for Ramsey number $N(3, 3, 3, 3; 2)$ 281

A. Stacey
Universal minimal total dominating functions of trees 287

M. Wojtas
Five mutually orthogonal Latin squares of orders 24 and 40 291

Research problems 295

Author index to volume 140 299